PATENT

This listing of claims will replace all prior versions of claims in the application.

Listing of Claims:

1. (currently amended) A pharmaceutical composition for reducing oxidative damage or delaying senescence comprising an orally administrable effective unit dosage of a primary N-hydroxylamine or a pharmaceutically acceptable salt thereof and substantially free of a nitrone corresponding to the hydroxylamine, wherein the hydroxylamine has the general formula,

NHOHCR₁R₂R₃

wherein R_1 , R_2 and R_3 are independently selected from: hydrogen, substituted or unsubstituted (C1-C18) alkyl, alkenyl, alkynyl, aryl, oxyl, acyl, carboxyl, amino, nitro, nitroso, oxime, hydrazone, azo, thiol, sulfonyl and halide.

- 2. (original) A composition according to claim 1, wherein the dosage is from 100 ug to 1g.
- 3. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is selected from unsubstituted (C1-C18) alkyl, alkenyl and alkynyl.
- 4. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is selected from unsubstituted (C1-C18) alkyl, cycloalkyl, alkenyl and alkynyl, and said at least one of R_1 , R_2 and R_3 is selected from: CH_3 -(CH_2)_{n1}, (CH_3 -(CH_2)_{n2}-)₂ CH, (CH_3 -(CH_2)_{n2}-)₃, cyclopentyl, cyclohexyl, (CH_2 =CH- CH_2)_{n3} and (CH=C- CH_2 -)_{n3}, wherein n1 = 1 to 18, n2 = 1 to 17 and n3 = 1 to 3.
- 5. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

PATENT

N-methylhydroxylamine,	N-(n-decahexyl)hydroxylamine,
N-ethylhydroxylamine,	N-(n-decaoctyl)hydroxylamine,
N-n-propylhydroxylamine,	N-isopropylhydroxylamine,
N-(n-butyl) hydroxylamine,	N-sec-butylhydroxylamine,
N-(n-pentyl)hydroxylamine,	N-tert-butylhydroxylamine,
N-(n-hexyl)hydroxlamine,	N-cyclohexylhydroxylamine,
N-(n-heptyl)hydroxylamine,	N-cyclopentylhydroxylamine,
N-(n-octyl)hydroxylamine,	N-(2-propene)hydroxylamine,
N-(n-nonyl)hydroxylamine,	N-(3-butene)hydroxylamine,
N-(n-decyl)hydroxylamine,	N-(2-propyne)hydroxylamine and
N-(n-dodecyl)hydroxylamine,	N-(3-butyne)hydroxylamine.

- 6. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted aryl.
- 7. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted aryl, and said at least one of R_1 , R_2 and R_3 is selected from: mono, di, or tri methyl, methoxy, halo, nitro, amino, hydroxyl and substituted or unsubstituted phenyl, naphthyl, anthryl, phenanthryl, pyridyl, quinolinyl, imidazolyl, benzoxazolyl, pyrrolyl, furanyl, piperidinolyl and tetrahydrofuranyl.
- 8. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

N-benzylhydroxylamine,	N-(1,3-diaminobenzyl)hydroxylamine,
N-(n-nitrobenzyl)hydroxylamine,	N-(1,3-hydroxybenzyl)hydroxylamine,
N-(n-methylbenzyl)hydroxylamine,	N-(2,4-diaminobenzyl)hydroxylamine,
N-(n-chlorobenzyl)hydroxylamine,	N-(2,4-dihydroxybenzyl)hydroxylamine,

PATENT

N-(n-aminobenzyl)hydroxylamine, Imidazole-2-methylhydroxylamine and N-(n-hydroxybenzyl)hydroxylamine, Benzoxazole-2-methylhydroxylamine, wherein n is selected from 1, 2, 3, 4, 5 and 6.

- 9. (previously presented) A composition according to claim 1, wherein at least one of R₁, R₂ and R₃ is substituted or unsubstituted (C1-C18) oxyl.
- 10. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) oxyl and said at least one of R_1 , R_2 and R_3 is selected from: hydroxyl, hydroxyalkyl (HO-(CH₂)_{n1}), hydroxyaryl selected from benzylalcohol, phenol and naphthol, alkoxy (O-(CH₂)_{n1}) and aryloxy selected from phenoxy, benzyloxy and naphthyloxy, wherein n1= 1 to 18.
- 11. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

N-(hydroxymethyl)hydroxylamine,
N-(2-hydroxyethyl)hydroxylamine,
N-(3-hydroxypropyl)hydroxylamine,
N-(4-hydroxybutyl)hydroxylamine,
N-(4-hydroxybutyl)hydroxylamine,
N-(6-hydroxyhexyl)hydroxylamine,
N-(12-hydroxydodecyl)hdyroxylamine.

- 12. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) alkylcarboxyl or arylcarboxyl.
- 13. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) alkyl or aryl carboxyl and said at least one of R_1 , R_2 and R_3 is selected from carboxyalkyls and benzyl.

PATENT

14. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

N-(carboxymethyl)hydroxylamine,
N-(2-carboxyethyl)hydroxylamine,
N-(3-carboxypropyl)hydroxylamine,
N-(4-carboxybenzyl)hydroxylamine,
N-(4-carboxybutyl)hydroxylamine,
N-(12-carboxydodecyl)hydroxylamine.

- 15. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) ester.
- 16. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) ester and said at least one of R_1 , R_2 and R_3 is selected from alkyl (C1 C18) and aryl esters.
- 17. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

N-(acetyloxymethyl)hydroxylamine,

N-(acetyloxyethyl)hydroxylamine,

N-(acetyloxypropyl)hydroxylamine,

N-(propylcarbonyloxy)methylhydroxylamine,

N-(butylcarboxyloxy)methylhydroxylamine,

N-(tert-butyloxycarboxyl)methylhdyroxylamine,

N-(benzyloxycarbonyl)methylhydroxylamine,

N-(phenyloxycarbonyl)methylhydroxylamine,

N-(3-pyridyloxycarbonyl)methylhydroxylamine and

N-(benzoxazol-5-carbonyloxy)methylhydroxylamine.

PATENT

- 18. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) carbonyl.
- 19. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted carbonyl and said at least one of R_1 , R_2 and R_3 is selected from alkyl (C1 C18) carbonyls and aryl carbonyls.
- 20. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

N-(acetyl)methylhydroxylamine, N-(phenylcarbonyl)methylhydroxylamine

N-(ethylcarbonyl)methylhydroxylamine, and

N-(butylcarbonyl)methylhydroxylamine, N-(benzylcarbonyl)methylhydroxylamine.

- 21. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted alkyl(C1-C18) or aryl amino.
- 22. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted alkyl (C1-C18) or aryl amino and said at least one of R_1 , R_2 and R_3 is selected from primary alkyl amine selected from methylamine, ethylamine, propylamine, butylamine and hexylamine, secondary amine selected from dimethylamine, diethylamine and dipropylamine, tertiary amine selected from trimethyl and trietylamine, and quarternary amine selected from tetramethyl and tetra-ethylammonium salts.
- 23. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

N-aminomethylhydroxylamine,

N-(2-aminoethyl)hydroxlamine,

N-(N-methylamino)methylhydroxylamine,

PATENT

N-(N,N-dimethylamino)methylhydroxylamine,

N-(N,N,N-trimethylammonium)methylhydroxylamine,

N-(3-aminopropyl)hydroxylamine,

N-(6-aminohexyl)hydroxylamine,

N-(4-aminobenzyl)hydroxylamine,

Hydroxylamine -1-methylpyridinium and

Hydroxylamine-1-methylquinolinium.

- 24. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) alkyl or aryl nitro.
- 25. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted alkyl(C1-C18) or aryl nitro and said at least one of R_1 , R_2 and R_3 is selected from alkylnitro selected from nitromethyl, nitroethyl, nitropropyl, nitrobutyl, nitropentyl, nitrohexyl and nitrobenzyl, and arylnitro selected from nitrophenyl and nitronaphthyl.
- 26. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

N-(nitromethyl)hydroxylamine,
N-(2-nitroethyl)hydroxylamine,
N-(3-nitropropyl)hydroxylamine,
N-(4-nitrobutyl)hydroxylamine,
N-(4-nitrobutyl)hydroxylamine,
N-(2,4-dinitrobenzyl)hydroxylamine.

27. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) nitroso.

PATENT

- 28. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) nitroso and said at least one of R_1 , R_2 and R_3 is selected from aliphatic nitrosoamines and aromatic nitroso.
- 29. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

N-(N-methyl-N-nitroso-amino)methyl hydroxylamine,

N-(N-methyl-N-nitroso-2-amino)ethylhydroxylamine,

N-(N-methyl-N-nitroso-3-amino)propylhydroxylamine and

N-(p-nitroso)benzylhydroxylamine.

- 30. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted oxime.
- 31. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) oxime and said at least one of R_1 , R_2 and R_3 is selected from: acetaldoxime, propionaldoxime, butanaldoxime and benzaldoxime.
- 32. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

Acetaldoxime-3-hydroxylamine,

Butanaldoxime-5-hydroxylamine and

Propionaldoxime-4-hydroxylamine,

(4-benzaldoxime)1-methylhydroxylamine.

- 33. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) hydrazone.
- 34. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) hydrazone and said at least one of R_1 , R_2 and

PATENT

R₃ is selected from: acetaldehyde hydrazone, propanaldehyde hydrozone, butanaldehyde hydrazone and phenylhydrazone.

35. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from

1-hydroxylamine-acetaldehyde hydrazone,

1-hydroxylamine-propanaldehyde

hydrazone,

1-hydroxylamine-butanaldehyde hydrazone

and

1-hydroxylamine-benzylaldehyde

hydrazone.

- 36. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted azo.
- 37. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted azo and said at least one of R_1 , R_2 and R_3 is selected from: azobenzene, p-(phenylazo)benzyl and p-diazobenzyl.
- 38. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

N-(p-phenylazo)benzylhydroxylamine,

N-(p-diazobenzyl)hydroxylamine and

N-(p-methoxylphenylazo)benzylhydroxylamine.

- 39. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) thiol.
- 40. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) thiol and said at least one of R_1 , R_2 and R_3 is

PATENT

selected from (C1-C18) alkylthiol selected from methyl, ethyl, propyl, butyl, pentyl and hexyl thiol, and arylthiol selected from thiophenol and benzylthiol.

41. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

N-(thiomethyl)hydroxylamine, N-(3-thiopropyl)hydroxylamine and N-(2-thioethyl)hydroxylamine, N-(p-sulfhydryl)benzylhydroxylamine.

- 42. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) sulfonic acid.
- 43. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) sulfonic acid and said at least one of R_1 , R_2 and R_3 is selected from methanesulfonic acid, ethanesulfonic acid, propanesulfonic acid, butanesulfonic acid and p-toluenesulfonic acid.
- 44. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

1-hydroxylamine-methanesulfonic acid, 1-hydroxylamine-butane-4-sulfonic acid

1-hydroxylamine-ethane-2-sulfonic acid, and

1-hydroxylamine-propane-3-sulfonic acid, N-(p-sulfobenzyl)hydroxylamine.

- 45. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is halide.
- 46. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is halide and said at least one of R_1 , R_2 and R_3 is selected from F, Cl, Br and I.

PATENT

47. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

N-(chloromethyl)hydroxylamine,
N-(bromomethyl)hydroxylamine,
N-(p-chlorobenzyl)hydroxylamine,
N-(2-chloroethyl)hydroxylamine,
N-(p-fluorobenzyl)hydroxylamine and
N-(3-chloropropyl)hydroxylamine,
N-(p-iodobenzyl)hydroxylamine.

- 48. (previously presented) A composition according to claim 1, wherein at least one of R₁, R₂ and R₃ is substituted or unsubstituted hydroxylamine.
- 49. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted hydroxylamine and said at least one of R_1 , R_2 and R_3 is selected from N-methylhydroxylamine, N-ethylhydroxylamine, N-propylhydroxylamine N-butylhydroxylamine, N-pentylhydroxylamine, and N-benzylhydroxylamine.
- 50. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

Bis-methylhydroxylamine, Bis-(3-propyl)hydroxylamine and

Bis-(2-ethyl)hydroxylamine, Bis-benzylhdyroxylamine.

- 51. (previously presented) A composition according to claim 1, wherein at least one of R₁, R₂ and R₃ is substituted or unsubstituted (C1-C18) phosphoester.
- 52. (previously presented) A composition according to claim 1, wherein at least one of R_1 , R_2 and R_3 is substituted or unsubstituted (C1-C18) phosphoester and said at least one of R_1 , R_2

PATENT

and R₃ is selected from: dimethylphosphate, diethylphosphate, dipropylphosphate and benzylphosphate.

53. (previously presented) A composition according to claim 1, wherein the hydroxylamine is selected from:

di-hydroxylaminemethylphosphate ester,

mono-hydroxylaminemethylphosphate ester,

mono-(1-hydroxylamine)-ethyl-2-phosphate ester,

di-(1-hydroxylamine)-2-ethylphosphate ester,

di-(1-hydroxylamine)-3-propyl-phosphate ester,

mono-(hydroxylamine-benzyl-phosphate ester and

di-hydroxylamine-benzylphosphateester.

- 54. (original) A composition according to claim 1, wherein the nitrone is less than 1% (wt/wt) of the hydroxylamine in the composition.
- 55. (original) A composition according to claim 1 further comprising an effective amount of a carnitine.
- 56. (original) A method for reducing oxidative damage to, or delaying senescence of a cell comprising the step of contacting a cell subject to or at risk of undesirable oxidative damage or senescence with a composition according to claim 1.
- 57. (original) A method for reducing oxidative damage to, or delaying senescence of a cell comprising the steps of:

identifying a cell as subject to or at risk of undesirable oxidative damage or senescence; and

contacting the cell with a composition according to claim 1.

PATENT

58. (original) A method according to claim 57, wherein the cell is contained in other than a cancerous host.